CLASSIFICATION SECRET/CONTROL - U.S. OFFICIALS ONLY

		ELEPTROCYTER THE	. U.S. ∙0	erchais only		<u> </u>	25X1
			an gi men				_
				ary 1954		ry 1954	
		Of:	ficers	NCOs and EM	Officers	NCCs and EM	*
		S 4 (AT company)	6	42	. 6	42	
		S 5 (AAA company)		19		24	
		S 6 (mortar company)	4	39	4	36	
		S 7 (SP gun company)	3	íś	4	18	
		Motor vehicle company	10	73	10	63	
		Headquarters platoon	10	- 9		8	
		± '	5	19	. 5	20	
		B-Staff	_	1	,	Ĩ	
		Chemical defense section	L	23		30	
		Supply section			1	10	
		Military band	1	10		10	
		Kitchen personnel		10		25	
		Dispensary		26		*	
		Military prison		ST		15	
						rla	
	5,	full equipment when aler Petween 25 and 31 Januar conducted field exercise of staff Fuenter held a ducted in the field in F	ry 1954, es. Hetwo sandtab	all component sen 25 and 27 J le exercise pri	lanuary 1954, ior to an exer	the clilcers cise to be con-	
25X1	6.	On 23 January 1954,					
		equipment of the 2d A-Kommando were repeatedly inspected by commissions of the Ministry of the Interior. 2					
	7.	About 500 men of KVP Division Prenzlau did not return on time from their New Year's furloughs. On 16 January 1954, all soldiers 25X of the division who had completed their third year of service were to be discharged.					
	1	Comment. There has somponent units of KVP	s hardly Division]	been any chan Prenzlau sinc	ge in the stre e 3 January 19	engths of the 954. See	
	2.	Comment. Informat			eliveries from	the USSR to	25X1

SECRET/CONTROL - U.S. OFFICIALS ONLY

25X1 25X1 25X1